

JONATHAN GREEN SAFETY DATA SHEET

DATE PREPARED: 08/19/15 CURRENT AS OF: 12/20/17

SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION

PRODUCT CODE: JG10CPT15.3

PRODUCT NAME: Jonathan Green Crabgrass Preventer Plus New Seeding Lawn Fertilizer

PRODUCT USE: Fertilizer / Pesticide

DIST. INFO: Jonathan Green & Sons, Inc.

P.O. Box 326

Farmingdale, NJ 07727 jonathangreen.com

support@jonathangreen.com

FOR EMERGENCY: (800) 424-9300 / 1-703-527-3887 (CCN826092)

SECTION 2: HAZARDS IDENTIFICATION

HAZARD SYMBOLS / STATEMENTS:



WARNING CAUSES EYE IRRITATION

MAY CAUSE RESPIRATORY IRRITATION

HAZARD CLASSIFICATIONS: CATEGORY EYE IRRITATION

2B INTERPRETATION
Causes eye irritation

SPECIFIC TARGET ORGAN TOXICITY

- SINGLE EXPOSURE 3 Causes irritation to respiratory tract

PRECAUTIONARY STATEMENTS:

- KEEP OUT OF REACH OF CHILDREN
- READ LABEL BEFORE USE
- IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL ON HAND
- CALL A POISON CENTER / PHYSICIAN IF UNWELL
- IF ON SKIN, WASH WITH PLENTY OF SOAP AND WATER
- IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE
- IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES REMOVE CONTACT LENSES
- IF EYE IRRITATION PERSISTS, GET MEDICAL ADVICE
- WASH HANDS AFTER HANDLING
- USE ONLY OUTDOORS OR IN WELL VENTILATED AREAS
- AVOID BREATHING DUST
- IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING
- STORE CONTAINER TIGHTLY CLOSED
- DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATION

JG10CPT15.3 CRABGRASS PREVENTER PLUS NEW SEEDING LAWN FERTILIZER

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL IDENTITY	SYNONYM	CAS NUMBER	CONCENTRATION (%)
Corncob fractions		Not listed	30-40
Diammonium phosphate		7783-28-0	25-35
Potassium chloride	Potash	7447-40-7	10-20
Sulfur coated urea		Mixture	5-15
Siduron	Tupersan	1982-49-6	1-10
Urea		57-13-6	1-10
Paraffinic oil	Dust control agent	Mixture	1-10

SECTION 4: FIRST AID MEASURES

IF INHALED: Move victim to fresh air. Seek medical attention if irritation persists.

IF ON SKIN: Wash affected areas with soap and water. Seek medical attention if irritation

persists. Wash contaminated clothing before re-use.

IF IN THE EYES: Immediately flush with water for at least 20 minutes. Seek medical attention if

irritation persists.

IF SWALLOWED: If victim is alert and not convulsing, give one glass of water to dilute material,

but DO NOT induce vomiting. Seek immediate medical attention.

SPECIAL TREATMENT: None known

HEALTH HAZARDS: See Section 11

SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA: Use media suitable for surrounding fire. No special media

required.

SPECIFIC FIRE HAZARDS: Decomposition products may be toxic. Sulfur will burn when

separated from molten urea.

SPECIAL FIREFIGHTING PROCEDURES: Wear full protective clothing and positive-pressure self-

contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL / RELEASE PROCEDURES: Collect spilled product and store to re-use. Contaminated product

and/or environmental media should be recovered and disposed of

properly.

ENVIRONMENTAL PRECAUTIONS: Prevent spilled material from entering storm drains or water bodies.

PROTECTIVE EQUIPMENT: See Section 8

SECTION 7: HANDLING AND STORAGE

Store in a cool, dry, well ventilated area. Do not store above 120° F.

JG10CPT15.3 CRABGRASS PREVENTER PLUS NEW SEEDING LAWN FERTILIZER

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

HAZARDOUS COMPONENT	OSHA PEL	ACGIH TLV		
Corncob fractions	15 mg/m ³ (total)	10 mg/m ³ (inhalable)		
	5 mg/m ³ (respirable)	3 mg/m ³ (respirable)		
Diammonium phosphate	15 mg/m ³ (total)	10 mg/m ³ (inhalable)		
	5 mg/m ³ (respirable)	3 mg/m ³ (respirable)		
Potassium chloride	15 mg/m ³ (total)	10 mg/m ³ (inhalable)		
	5 mg/m ³ (respirable)	3 mg/m ³ (respirable)		
Urea	15 mg/m ³ (total)	10 mg/m ³ (inhalable)		
	5 mg/m ³ (respirable)	3 mg/m ³ (respirable)		
Paraffinic oil	5 mg/m ³	5 mg/m ³		
PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:				
RESPIRATORY PROTECTION: NIOSH approved poeticide respirator, if required				

RESPIRATORY PROTECTION: NIOSH approved pesticide respirator, if required

EYE PROTECTION: Safety glasses with sideshields, goggles, or faceshield recommended

SKIN PROTECTION: Long sleeves, chemical-resistant (PVC) gloves recommended

VENTILATION: Local exhaust ventilation recommended

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Multi-colored granular mix, with slight odor

Not available pH: MELTING POINT: Not available Not applicable **BOILING POINT:** Not flammable FLASH POINT: Not applicable **EVAPORATION RATE:** FLAMMABLE LIMITS: Not applicable Not applicable **VAPOR PRESSURE:** Not applicable VAPOR DENSITY: SPECIFIC GRAVITY: Not available SOLUBILITY (IN WATER): Partially soluble Not applicable PARTITION COEFFICIENT: **AUTOIGNITION TEMP:** Not available **DECOMPOSITION TEMP:** Not available ODOR THRESHOLD: Not available VISCOSITY: Not applicable

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Product is stable. May release ammonia on standing.

CONDITIONS TO AVOID: Excessive heat (greater than 200°F)

INCOMPATIBILITY: Oxidizers, acids, alkalis, caustics, hypochlorites

HAZARDOUS DECOMPOSITION PRODUCTS: NOx, COx, NH3, cyanuric acid, HCN, POx

JG10CPT15.3 CRABGRASS PREVENTER PLUS NEW SEEDING LAWN FERTILIZER

SECTION 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS: May be irritating to the nose and respiratory tract, and may cause sore throat, coughing

and shortness of breath. Skin irritation may result from repeated or prolonged exposure. May also be irritating to the eyes, causing redness and watering. Ingestion may result in abdominal pain, nausea, diarrhea, blurred vision, sweating, salivation,

muscle twitching, and tremor.

CARCINOGENICITY: None of the ingredients are known / listed carcinogens. However, product may contain

trace amounts of inorganic fluorides, which have been suggested as a reproductive

hazard and a carcinogen.

INGREDIENT TOXICITY RANGES:

ORAL: > 2,000 mg/kg (diammonium phosphate) -- > 15,000 mg/kg (paraffinic oil)

DERMAL: > 2,000 mg/kg (paraffinic oil) -- > 5,000 mg/kg (diammonium phosphate)

INHALATION: None listed

SECTION 12: ECOLOGICAL INFORMATION

This product is not known to be ecotoxic, persistent, or have the potential to bioaccumulate.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with all national, regional / state, and local regulations. Reuse recovered product where possible.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a transportation hazard.

SECTION 15: REGULATORY INFORMATION

SARA SECTION 311 / 312: ACUTE HAZARD

SECTION 16: OTHER INFORMATION

NFPA RATINGS: HEALTH

FLAMMABILITY 0 INSTABILITY 0

HMIS RATINGS: HEALTH

FLAMMABILITY 0 PHYSICAL HAZARD 0

ACTIVE INGREDIENT LEVEL (%): 3.5 as siduron

SDS ID NO: 5011B

PREPARED BY: TS

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Jonathon Green be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.