

Not for use in organic crop and organic food production.

FEEDING YOUR LAWN WITH ORGANICS

Jonathan Green Organic Lawn Food promotes a lush green lawn. These homogenous, easy-to-spread granules, can be used on established and newly seeded lawns or when sodding. Use in spring, summer or fall.

The organic approach to lawn care takes time, be patient, since nature needs time to break down nutrients. Children and pets may re-enter the lawn area immediately after application.

CONTROLLING WEEDS NATURALLY:

Weeds will naturally be choked out as the turf thickens. Use Black Beauty grass seed, follow a balanced fertilizing program and raise mowing height to 3" to provide the best defense against weeds.

GRASS CLIPPINGS:

Grass clippings contain nutrients and water that are beneficial to the lawn. Do not remove clippings unless they clump on the lawn, grass clumps can smother desirable grass. To prevent clumping of grass on the lawn, keep mower blades sharp and be sure not to cut off more than 1/3 of the grass leaf at any one time. Use of a mulching mower aids in returning clippings to the soil.

DIRECTIONS FOR USE

Jonathan Green Organic Lawn Food is ideal for use on established lawns, newly seeded lawns and when sodding. This product can be applied to all cool-season or warm-season grasses. Product should be applied to a dry lawn that has been recently mowed. It is best to water product in after application for 15 minutes, however, this is not necessary. About 1 inch of water per week is sufficient between rainfall and irrigation for best lawn growth throughout the growing season.

HOW MUCH TO APPLY

ESTABLISHED LAWNS:

Apply bag according to spreader chart. Water in if possible for 15 minutes.

NEWLY SEEDED LAWNS - THIN LAWNS - SODDING:

Apply bag according to the spreader chart. To improve results, aerate before application or applying grass seed. Water in if possible for 15 minutes.

GUARANTEED ANALYSIS	
Total Nitrogen (N)	10.00%
9.0% Water Insoluble Nitrogen*	
1.0% Water Soluble Nitrogen	
Soluble Potash (K ₂ 0)	1.00%
Calcium (Ca)	1.00%
Sulfur (S)	1.00%
Iron (Fe)	0.10%

Derived from: Feather Meal, Soybean Meal, Blood Meal, Sulfate of Potash and Calcium Carbonate

*9.0% slowly available nitrogen from feather meal, soybean meal and

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

SPREADER SETTINGS

The following settings are approximate. An accurate calculation can be made by application to 1,000 sq. ft. and adjusting spreader opening to apply 3.10 lbs. per 1,000 sq. ft. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of .78 lb. per 250 square feet. Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

ROTARY	SPREADERS	Established Lawns	Newly Seeded Lawns - Thin Lawns - Sodding
	Jonathan Green		
	Standard	4	
	Deluxe & Pro	13	Apply a
	Hand Spreader	3	'''
	Chapin	5	second
	Cyclone	4	time to the
	Earthway		same area
	ACE - Greenthumb		same area
•	Agway - Fertilome	13	using the
	Lesco	11 or D	rates listed
	Sta-Green - Precision - Red Devil	6	
	Scotts Rotary*	5	on left.
	Scotts EasyGreen	23	
	Scotts Wizz	5	
	Spyker	5	

*Includes EdgeGuard, Elite, Standard, Basic, LawnPro & Speedy Green 1000 - 3000


DROP SPI	READERS	Established Lawns	Newly Seeded Lawns Thin Lawns - Sodding
	Central EZ Republic	5 5	Apply a second
	Earthway Ames Precision - Red Devil Scotts Drop**	12 2 8	time to the same area using the rates listed

USAGE TIPS

For rectangular lawns

**Includes Accugreen 1000 - 2000 & Classic

Apply two header strips across each end for a turning area. Then apply back and forth in the longest direction.



on left.

For irregular-shaped lawns Apply a header strip around the entire lawn for a

turning area, then apply back and forth.

Note: For rotary spreaders, each pass should be within 10 feet of each other to ensure an overlap. • Do not leave spreader open when making turns.

• For best results, do not apply on a windy day. Swath will vary due to weather conditions, product used and walking speed. To determine how much coverage you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, gardens, walkways,

CAUTION

Store product in a cool, dry place out of the reach of children and pets. Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn or garden and sweep any product that lands on the driveway, sidewalk or street back onto your lawn or garden. Also, sweep fertilizer off concrete surfaces to avoid staining.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this

product other than as indicated on the label. Buyer assumes all risk of use and/or handling if such use is contrary to label



My Pledge Of Satisfaction We have made every effort in the formulation of this product to insure that you will be satisfied with the results. If, for any reason, you are not satisfied, please write and describe the problem. Our lawn specialists will make every effort to assure your success

Be aware of local ordinance requirements concerning lawn fertilizer applications. "Black out" dates may limit or prohibit lawn fertilizer applications from late fall to early spring in certain areas. In Maryland apply this product at no more than 6 lbs.

instructions.

Sign up to receive timely lawn tips www.jonathangreen.com $igotimes_{igotimes$



blood meal

per 1,000 sq. ft.