



Jonathan Green®

VERI-GREEN® Weed & Feed

FEEDS LAWNS
FOR UP TO
3 MONTHS

KILLS WEEDS
DOWN TO
THE ROOT

FOR USE
IN SPRING
OR FALL



CONTROLS
250+
BROADLEAF
WEEDS!



21-0-3

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	0.700%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid***†	0.182%
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid***†	0.179%
OTHER INGREDIENTS:	98.939%
TOTAL:	100.000%

DISSOLVE® is a Registered Trademark of Nufarm Americas Inc. Patent #5,266,553

ISOMER SPECIFIC METHOD, EQUIVALENT TO:

**2,4-Dichlorophenoxyacetic Acid	0.58%, 0.0058 oz/lb
***(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.15%, 0.0015 oz/lb
***(+)-R-2-(2,4-Dichlorophenoxy)propionic Acid	0.15%, 0.0015 oz/lb

CONTAINS THE SINGLE ISOMER FORMS OF MECOPROPp AND DICHLORPROPp
EPA REG. NO. 228-298-5983
EPA EST. NO. 075327-PB-12, 95161-N-001, 89135-AZ-001, 093243-CF-1, 9198-OH-1M, 9198-OH-2B, 9198-AL-001A, 82737-OH-001, 8378-IN-1, 69759-OR-2, 69759-OR-004 (LOT REGRAS BAN)
Call on bag indicates manufacturing site.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS
For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

**THE NEW AMERICAN LAWN
FEED YOUR LAWN
...AND YOUR SOIL!**

EARLY SPRING:
Apply Veri-Green plus Crabgrass Preventer

LATE SPRING:
Apply Veri-Green Weed & Feed

SUMMER:
Apply MAG-ICAL Plus

FALL:
Apply Winter Survival

Ask for a FREE copy of our Lawn Care Guide or go to www.jonathangreen.com

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND LAWN FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION. WEEDS CONTACTED BY THIS PRODUCT GRADUALLY DIE AND DISAPPEAR FROM THE LAWN.

WHEN TO APPLY VERI-GREEN™ WEED & FEED

Best results are obtained when weeds are growing actively in Spring or early Fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results: (1) Avoid mowing 1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration on Centipede and St. Augustine grasses.

It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOW TO APPLY VERI-GREEN™ WEED & FEED

This 15 pound bag should be used on 3,000 square feet or apply at 3 pounds per 1,000 square feet. Apply evenly with a lawn spreader as a one pass application. **DO NOT HAND SPREAD.**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS. A minimum of 30 days between applications is required. This product is a stable mixture of three herbicides. It is for use on all residential turf. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled. This product may be used on Bahia, common Bermuda, Bluegrass, Centipede, Fescue, Ryegrass, St. Augustine, and Zoysia grass. DO NOT USE on Dichondra and Carpet grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

Alder	Clover, White	Hemp	Onion, Wild	Spurge, Prostrate
Arichoke	Cockle	Henbit	Oxalis	Spurge, Spotted
Aster	Cocklebur	Hoary Cross	Pansy, Field	Spurweed
Aster, Wild	Cocklebur, Spiny	Honeysuckle	Parsley-piert	St. Johnswort
Bedstraw	Coffbean	Horsenettle	Parsnip	Stinkweed
Bedstraw, Pinewoods	Coffweed	Horsetail	Parsnip, Wild	Stickwort
Beggarick	Coreopsis, Plains	Ironweed	Pearwort	Strawberry, Wild
Betony, Florida	Creeping Jenny	Ivy, Poison	Pennywort	Sumac
Biden	Croton	Jewelweed	Pennywort	Sunflower
Bindweed	Croton, Woolly	Knopweed	Peppergrass	Sunflower, False
Bindweed, Field	Cudweed	Knopweed, Spotted	Pepperweed	Sweet Potato, Wild
Bindweed, Hedge	Curly Indigo	Kochia	Pepperweed, Virginia	Tansy, Rogwort
Bitter Wintercress	Daisy, English	Knockweed	Pigweed	Tanweed
Bitterweed, Hoary	Daisy, Owey	Knockweed, Prostrate	Pigweed, Prostrate	Thistle
Bitterweed, Hairy	Dandelion	Knockweed, Redroot	Pigweed, Russian	Thistle, Blessed
Black-eyed Susan	Dandelion, Fall	Knockweed, Tumble	Pigweed, Smooth Pigweed,	Thistle, Bull
Blackfootweed, Milkweed	Dandelion, False	Lambquarter	Pigweed, Tumble	Thistle, Canada
Box Elder	Dock	Lathraea, Blue	Pigweed, Tumble	Thistle, Musk
Brasbanots	Dock, Broadleaf	Lathraea, Prickly	Plantain, Blackweed	Thistle, Russian
Bristly Oxeye	Dock, Curly	Lathraea, Wild	Plantain, Broadleaf	Thistle, Scotch
Broomweed	Dock, Smooth	Locoweed	Plantain, Broadleaf	Toadflax
Buckhorn	Dogbane	Lupine	Plantain, Buckhorn	Trailing Crownvetch
Buckweed, Wild	Dogbane, Spotted	Mallow, Indiana	Plantain, Hoary	Trafal, Tick
Bur Rogweed	Fiddleneck	Mallow, Venice	Plantain, Narrowleaf	Tumbleweed
Burdock	Filifolius, Austrian	Marigold, Roundleafed	Plantain, Slender	Yellow-flower
Burweed	Filaree, Redstem	Marigold, Wild	Plantain, Woolly	Veronica
Buttercup	Flax, False	Marshelder	Pokeweed	Vervain
Buttercup, Bulbous	Flax, True	Marigold, Roundleafed	Pokeweed	Vervain, Blue
Carpetweed	Fleabane, Daisy	Medic, Black	Powerweed	Vervain, Hoary
Carrot, Wild	Fleabane, Hairy	Mexicanweed	Prickly Sida	Vervain, Prostrate
Catchweed, Bedstraw	Fleabane, Rough	Morningglory	Primrose	Vervain, Tall
Catnip	Florida Pusley	Morningglory, Woolly	Puncture Vine	Velch
Catsear	Four-O'Clock, Wild	Mugwort	Purslane	Velch, Bird
Catsear, Spotted	Galium, Common	Mullin, Common	Radiola, Wild	Velch, Milk
Chamomile, Corn	Galinsoga	Mustard	Radiola, Wild	Velch, Narrowleaf
Chickweed	Galinsoga, Smallflower	Mustard, Black	Rape, Wild	Velch, Virginia Buttonsweed
Chickweed, Hedge	Geranium, Carolina	Mustard, Hedge	Rush	Virginia Creeper
Chickweed, Mouseear	Geranium, Wild Goodhead	Mustard, Tansy	Salsify, Western	Willow
Cinquefoil	Goldenrod	Mustard, Tumble	Shepherdspurse	Witchweed
Cinquefoil, Rough	Goldenrod	Mustard, White	Smartweed	Woodsoresl
Cinquefoil, Western	Groundivy	Nettle, Wild	Sorrel, Red	Yarrow
Clover	Gumweed	Nettle	Sorrel, Sheep	Yellow Rocket
Clover, Annual	Headed	Nettle, Singing	Sowthistle	Yellow-flower
Clover, Red	Heartleaf Drymary	Nettle, Dead	Sowthistle, Common	Pepperweed
Clover, Crimson	Heartleaf Drymary	Nettle, Singing	Sponshinweed Spotted	
Clover, Hop	Heathwort	Nettle, Fall	Spiny Amaranth	
Clover, Sweet	Hemlock, Prismatic	Nutgrass	Spurge	
		Oak, Poison		

SPREADER SETTINGS (One pass application)

The following settings are approximate for applying contents of this package at a suggested rate of 3 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of .75 pounds per 250 square feet. Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

BROADCAST (ROTARY) SPREADERS	Jonathan Green Standard	3-1/2	Central	4
	Deluxe & Pro Hand Held	11	EZ Republic (Ortho)	3
	Agri-Fab	2	Earthway (Ames)	13
	Chapin 81000A	4-1/2	Precision (Red Devil)	3
	Cyclone	4-1/2	Scots**	4
	EZ Republic (Ortho)	2		
	Earthway (Ames)	3-1/2		
	Lesco	10 - 11/D		
	Precision (Red Devil)	4		
	Scots Rotary Spreaders*	4-1/2		
	Scots EasyGreen	24		

*Includes EdgeGuard, Elna, Standard, Basic, LawnPro & Speedy Green 1000 - 3000

DROP SPREADERS

For more settings visit www.jonathangreen.com

USAGE TIPS

For rectangular lawns
Apply two header strips across each end for a turning area, then apply back and forth in the longest direction.

For irregular-shaped lawns
Apply a header strip around the entire lawn for a turning area, then apply back and forth.

Note: Each pass should be within 10 feet of each other to ensure an overlap.

- Do not leave spreader open when making turns.
- For best results, do not apply on a windy day.
- Swath will vary due to weather conditions, product used and walking speed.
- Apply products only to lawn.
- To determine how much coverage you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, gardens, walkways, etc.). One bag covers 5,000 sq. ft.

GUARANTEED ANALYSIS:

Total Nitrogen (N)	21%
21.00% Urea Nitrogen*	
Soluble Potash (K ₂ O)	3%

Derived From: Polymer Coated Urea, Urea, Sulfate of Potash.
***6.30% slowly available urea nitrogen from polymer coated urea**
Information regarding the content and level of nutrients in this product is available on the internet at <http://www.jonathangreen.com>

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Drift and runoff may be hazardous to aquatic organisms in waters adjacent to treated areas. To protect the environment, do not allow pesticides to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area of the lawn will help to prevent runoff to water bodies or drainage systems.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fishponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product runoff, do not over water the treated area to the point of runoff or apply when raining or when rain is expected that day.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Avoid breathing dust. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

USE PRECAUTIONS FOR TURF, ORNAMENTAL (golf courses, cemeteries, parks, sports fields, turfgrasses, lawns and other grass areas)

Postemergence: Limited to 2 applications per year. Maximum of 250 pounds of product/acre per application. The maximum seasonal rate is 500 pounds of product/acre, excluding spot treatments.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing .63 pounds of nitrogen per 1,000 square feet and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

STORAGE AND DISPOSAL

STORAGE: Store in original container and keep any bags containing unused product in locked storage area inaccessible to children and domestic animals. Do not store near feed or foodstuffs. To prevent cross-contamination, do not store near open containers of fertilizer, seed or other pesticides.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF, THE MISUSE, OR FAILURE TO FOLLOW LABEL, WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

FIRST AID

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a poison control center or doctor for treatment advice.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

My Pledge of Satisfaction

We have made every effort in the formulation of this product to assure that you will be satisfied with the results. If, for any reason, you are not satisfied, please write and describe the problem. Our lawn specialists will make every effort to assure your success.

Distributed & Guaranteed by: Jonathan Green, Inc. POB 326 Farmingdale, NJ 07727

(26002) (RV032416) 8722