




Jonathan Green



CORN GLUTEN WEED PREVENTER

plus LAWN FOOD 10-0-2

**Pre-emergent weed control plus lawn food
Prevents crabgrass and other weeds
while feeding your lawn
Easy to spread granules
Safe around children and pets***

United States Patent 8,623,100 B2

*When Used As Directed



CRABGRASS DANDELION

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional precautionary statements and directions.

Active Ingredient	
Corn Gluten Meal	85%
Inert Ingredients*	15%
Total	100%

*Urea, Potassium Sulfate

**FEED YOUR LAWN
...AND YOUR SOIL!**

EARLY SPRING: Apply Corn Gluten Weed Preventer plus Lawn Food
LATE SPRING: Apply Mag-I-Cal Plus
SUMMER: Apply Organic Lawn Food
FALL: Apply Organic Lawn Food

For more information on how to best apply this product visit:
JonathanGreen.com

GUARANTEED ANALYSIS	
Total Nitrogen (N)	10.0%
3.0% Water Insoluble Nitrogen*	
7.0% Water Soluble Nitrogen	
Soluble Phosphorus (P ₂ O ₅)	2.0%
Derived from: Corn Gluten Meal, Urea, Potassium Sulfate	
*3.0% slowly available nitrogen from corn gluten meal.	

Information regarding the content and levels of metals in this product is available on the internet at <http://www.epa.gov/ncdr/ncdl>

PRECAUTIONARY STATEMENTS
Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn and sweep any product that lands on the driveway, sidewalk or street back onto your lawn. Also, sweep fertilizer off concrete surfaces to avoid staining. Wear protective gloves and wash hands after use.
FOR CHEMICAL SPILL, LEAK, FIRE OR EXPOSURE CALL CHEMTREC 1-800-424-9300.

FIFRA 25(b) Exemption
This product has not been registered by the United States Environmental Protection Agency. Jonathan Green represents that this product qualifies for exemption from registration under the Federal Insecticide, Fungicide and Rodenticide Act.

FIRST AID	
If in Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on Skin	Rinse skin immediately with plenty of water for 15-20 minutes.
If Inhaled	Move person to fresh air. Call a poison control center or doctor for further treatment advice.
If Ingested	Do not induce vomiting unless told to do so by a poison control center or a doctor.

FEEDING AND WEEDING YOUR LAWN
Jonathan Green Corn Gluten Weed Preventer plus Lawn Food prevents crabgrass, dandelions and other weeds from growing while feeding your lawn. Apply in early spring, before target weeds germinate. For improved weed control and greening up, apply this product up to 4 times a year, mid-March and late spring, and early fall to early November. See "Black out" date comments below. Weed control provided by this product is directly related to proper application rate, but will vary somewhat depending on weather, weed pressure, turfgrass competitiveness, and the user's location in a region. Based on the nature of this product, it may take a few seasons to control severe weed populations. This product provides "pre-emergence" control in established turfgrasses when applied prior to germination of target weeds. A pre-emergent herbicide is capable of controlling weeds only at the time of germination. Any weeds that have germinated before application will not be controlled.

DIRECTIONS FOR USE
Apply to a dry, recently mowed lawn using a broadcast-rotary or drop spreader. Apply at 3 lbs. per 1,000 square feet. For best results, water lightly after applying if rain is not forecast within 24 hours. This product works best when applied, watered in, and allowed to dry for 2 to 3 days. Excessive rainfall or irrigation may require re-application for effective weed control. The percentage of control increases as the application rate increases.
There are no re-entry restrictions for use. People, pets and animals may enter the application area immediately following application.

SPRING APPLICATION
Make the first application at the time forsythia begins to bloom in your area. As an alternate timing guide, apply when crocuses have finished blooming or when the first daffodils or jonquils begin to bloom. (To use bulb blooming times as a guide, bulbs must be located 15 ft. or more away from any foundation.) Crabgrass continues to germinate through July, and other weeds germinate throughout the growing season, so later applications still reduce weeds and at the same time fertilize your lawn.

FALL APPLICATION
Apply this product from late summer through early November. See "Black out" date comments below.

SEEDING
Apply Jonathan Green Corn Gluten Weed Control plus Lawn Food four weeks prior to applying grass seed, or apply four weeks after sowing grass seed and the newly seeded area has been mowed 2 to 3 times.

SPREADER SETTINGS
The following settings are approximate. An accurate calculation can be made by application to 1,000 sq. ft. and adjusting spreader opening to apply 3 lbs. per 1,000 sq. ft. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 75 lbs. per 250 square feet. Swathes do not result in fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any reported mild spreader areas with oil to reduce corrosion.


BROADCAST (ROTARY) SPREADERS	
Jonathan Green	
Standard Rotary	6
Deluxe & Pro	17
Hand Held	5
Agri-Fab	8
Cyclone	5
Earthway (Ames)	16
Echo RB60	8
EZ Republic (Ortho)	6
Lesco	16 - G
Precision (Red Devil)	5
Scotts Rotary Spreaders*	8
Spyker	6-1/2
STA-GREEN	5
Vigoro	8

*Includes EdgeGuard, Elite, Standard, Basic, LawnPro & Speedy Green 1000 - 3000


DROP SPREADERS	
Central	5
EZ Republic (Ortho)	6
Earthway (Ames)	13
Precision (Red Devil)	4
Scotts Drop**	11

**Includes EdgeGreen 1000 - 2000 & Classic

For rectangular lawns
Apply two header strips across each end for a turning area. Then apply back and forth in the longest direction.



For irregular-shaped lawns
Apply a header strip around the entire lawn for a turning area, then apply back and forth.



- Note:** For rotary spreaders, each pass should be within 8 feet of each other to ensure an overlap.
- Do not leave spreader open when making turns.
 - For best results, do not apply on a windy day.
 - Swath will vary due to weather conditions, product used and walking speed.
 - To determine how much coverage you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, gardens, walkways, etc.).

IMPORTANT: READ BEFORE USE
Read the entire Directions for Use and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Limitation of Liability.

LIMITATION OF LIABILITY
To the extent consistent with applicable law, Jonathan Green makes no warranties of merchantability or of fitness for a particular purpose, nor any other express or implied warranty except as stated above. Buyer assumes all responsibility for safety and use not in accordance with label directions and precautionary statements.

STORAGE AND DISPOSAL
Store product in a cool, dry place out of the reach of children and pets. Keep bag tightly closed, away from moisture and light. Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling if each use is contrary to label instructions.



BLACK OUT DATES
Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use. "Black out" dates may limit or prohibit lawn fertilizer applications from late fall to early spring in certain areas.
A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing .30 pounds of nitrogen per 1,000 square feet and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

My Pledge Of Satisfaction
We have made every effort in the formulation of this product to assure that you will be satisfied with the results. If, for any reason, you are not satisfied, please write and describe the problem. Our team's attention will make every effort to assure your success.
Sign up to receive timely lawn tips www.jonathangreen.com

